



KENWOOD

Master ProTalk  
Distributor



**ProTalk®**

ProTalk® Digital and Analog  
Two-Way Radios & Accessory Catalog  
Compact Portable VHF/UHF Business Two-Way Radios

**WS Communications**

400 North Bluff Rd. | Collinsville, IL 62234 | Phone: (888) 731-8731 | [www.wscommunications.com](http://www.wscommunications.com)



## EXCEPTIONAL COMMUNICATION

### TABLE OF CONTENTS

<b>WATERPROOF DIGITAL</b>	<b>2</b>
<b>COMPACT</b>	<b>3</b>
<b>COMPACT</b>	<b>4</b>
<b>HEAVY DUTY</b>	<b>5</b>
<b>HEAVY DUTY DIGITAL</b>	<b>6</b>
<b>INTRINSICALLY SAFE</b>	<b>7</b>
<b>RADIO ACCESSORIES</b>	<b>7</b>
<b>REPEATERS</b>	<b>8</b>
<b>WIRELESS NICHE PRODUCTS</b>	<b>9</b>
<b>WIRELESS NICHE PRODUCTS</b>	<b>10</b>



# ProTalk<sup>®</sup>

## NX-P500 UHF Radio

WATERPROOF  
DIGITAL

### INNOVATIVE

- 2 Watt NXDN Digital & Analog
- Mixed Mode Operation

### DURABLE

- Meets IP67 Dust & Immersion Spec
  - Dust Proof
  - Waterproof rating of up to thirty (30) minutes in three (3) feet of water

### CONVENIENCE

- Small & Lightweight
- 15+ Hour Battery Life
- Bright LCD Display
- 6 Channels



### COMMUNICATION

- Excellent Sound Quality
- Second Push-To-Talk Option
- Repeater Capable
- VOX Capable

### INCLUDES

- Li-Ion Rechargeable Battery
- Belt clip holster
- Rapid Charger



6.25" H



2.25" W

2-YEAR RADIO WARRANTY

### ADDITIONAL ACCESSORIES



KMC - 55W



KHS-51



KHS-52



KHS-54

Waterproof Digital 2




COMPACT

BUILT FOR MEDIUM TO LIGHT DUTY USE

## ProTalk<sup>®</sup> LT PKT-23 UHF Radio



- 4 Channels, 1.5 Watt
- 39-QT/168-DQT Coded Squelch
- Weighs Only 3.9oz. with Battery
- Enhanced Kenwood Audio
- LED Battery Status Indicator
- Li-Ion Battery Life: 11-15 Hours
- Charge Time: 3 Hours
- Meets 11 Mil-Spec Standards



### ACCESSORIES INCLUDED

- Li-Ion Rechargeable Battery
- Spring Action Belt Clip
- Rapid Charger

### AVAILABLE ACCESSORIES



KMB-44  
-Six unit charging base  
(Charging Cups not included)




KHS-34  
-C-Ring Ear Hanger  
w/ in-line PTT & Mic



KHS-33  
-Earbud w/ in-line PTT & Mic

2-YEAR RADIO WARRANTY






## BUILT FOR MEDIUM TO LIGHT DUTY USE

### ProTalk® XLS TK-3230DX UHF Radio

FleetSync® 

- 6 Channels, 1.5 Watt
- 99 User-Programmable Frequencies
- 39 QT / 168 DQT Privacy Codes
- Weighs only 5.5oz with Battery
- 10-Call Alert Tone
- LCD Display with Backlight
- Li-Ion Battery Life: 14-18 Hours
- Charge Time: 2.5 Hours
- Meets 9 Mil-Spec Standards

2-YEAR RADIO WARRANTY



#### ACCESSORIES INCLUDED

- Li-Ion Rechargeable Battery
- Spring Action Belt Clip
- Rapid Charger

#### AVAILABLE ACCESSORIES



KMB-27  
-Six unit charging base  
(Charging Cups not included)



KHS-27A  
-D-Ring Ear Hanger  
w/ in-line PTT & Mic



KHS-31C  
-C-Ring Swivel Ear Hanger  
w/ in-line PTT & Mic

#### ANALOG RANGE & COVERAGE

TK-3230DX PKT-23	Open areas without obstructions	Steel and/ or concrete reinforced bldgs.	High-rise Buildings
UHF 1.5 Watt	Up to 5 miles	Up to 225,000 sq.ft.	Up to 17 floors

*Talk range will vary based on terrain, conditions and type of radio.*



HEAVY DUTY

BUILT FOR HEAVY DUTY USE

### AVAILABLE ACCESSORIES



KMC-45D  
-IP-55 Speaker Microphone



KHS-27A  
-D-Ring Ear Hanger  
w/ in-line PTT & Mic



KHS-31C  
-C-Ring Swivel Ear Hanger  
w/ in-line PTT & Mic



KMB-28AK  
-Six unit charging base  
(Charging cups not included)



## ProTalk® NX-P1202AVK VHF Radio NX-P1302AUK UHF Radio



- 64 Channels, 2 Watt
- 27 VHF / 99 UHF Preset Frequencies
- 45 QT / 174 DQT Privacy Codes
- Privacy Talk Scrambler
- 10-Call Alert Tone
- Removable Antenna
- Li-ion Battery Life: Up to 15 Hours
- Charge Time: 3 Hours
- Weather-Sealed Construction
- Weighs only 9.9oz with Battery
- Meets 11 Mil-Spec Standards

3-YEAR RADIO WARRANTY

## HIGH POWERED RADIOS

## ProTalk® NX-P1200AVK VHF Radio NX-P1300AUK UHF Radio



- 64 Channels, 5 Watt
- 27 VHF / 99 UHF Preset Frequencies
- 45 QT / 174 DQT Privacy Codes
- Privacy Talk Scrambler
- 10-Call Alert Tone
- Removable Antenna
- Li-ion Battery Life: Up to 11.5 Hours
- Charge Time: 3 Hours
- Weather-Sealed Construction
- Weighs only 9.9oz with Battery
- Meets 11 Mil-Spec Standards

3-YEAR RADIO WARRANTY

### ANALOG RANGE & COVERAGE

VHF & UHF	Open areas without obstructions	Steel and/ or concrete reinforced bldgs.	High-rise Buildings Up to:
UHF 5 Watt	Up to 7 miles	Up to 370,000 sq.ft.	33 floors
VHF 5 Watt	Up to 7 miles	Up to 300,000 sq.ft.	18 floors
UHF 2 Watt	Up to 6 miles	Up to 250,000 sq.ft.	20 floors
VHF 2 Watt	Up to 6 miles	Up to 220,000 sq.ft.	13 floors

Talk range will vary based on terrain, conditions and type of radio.

# PROTALK DIGITAL RADIOS

HEAVY DUTY  
DIGITAL

## ProTalk<sup>®</sup> DIGITAL NX-P1200NVK VHF Radio NX-P1300NUK UHF Radio



**NXDN<sup>®</sup>**

- 4 Mixed Zones - Analog and Digital
- 16 Channels Per Zone, 5 Watt
- 27 VHF / 99 UHF Preset Frequencies
- 10-Call Alert Tone
- Channel Scan
- Removable Antenna
- Li-ion Battery Life: Up to 11.5 Hours
- Charge Time: 3 Hours
- Weather-Sealed Construction
- Weighs only 9.9oz with Battery
- Meets 11 Mil-Spec standards



### 3-YEAR RADIO WARRANTY

#### • Enhanced Audio Quality


The powerful 36mm-diameter speaker delivers up to 1 watt audio output providing undeniably clearer and crisper audio.

#### • 16 Channel / 4 Zones

ProTalk Digital radios can be used in four zones: analog and digital can be mixed in any or all zones.

#### • Enhanced Coverage

Digital mode offers enhanced coverage - as much as 20% more than analog.



INTRINSICALLY  
SAFE

INTRINSICALLY SAFE

# ProTalk®

## TK-2360ISV16P VHF Radio

## TK-3360ISU16P UHF Radio



















### CERTIFIED INTRINSICALLY SAFE

The TK-2360ISV16P & TK-3360ISU16P model Kenwood portable transceivers, when properly equipped with the approved Kenwood KNB-68LC battery are UL-93 Edition 5 & TIA4950 approved by SGS North America as intrinsically safe for use in Classes I, II and III, Division 1, Groups C, D, E, F & G, and are also approved for use in non incendive Class I, Division 2, Groups A, B, C, D hazardous locations.




- 16 Channels, 5 Watt
- Meets 11 Mil-Spec Standards
- Slim, Compact & Lightweight
- Lone Worker Option
- Robust & Water-Resistant
- Clear and Crisp, Enhanced Audio
- Emergency Function
- Voice Announcement
- VOX Ready
- Password Protection
- Removable Antenna

### 2-YEAR RADIO WARRANTY

Radio Model	KVC-22 DC Vehicular Charger Adapter	KEP-2 2.5mm Earphone Kit	KMC-21 Compact Low-Profile Speaker Microphone	KMC-45D IP-55 Speaker Microphone	KHS-7A Single Muff Headset with In-Line PTT	KHS-8BL 2-Wire Palm Mic. with Earphone	KLH-150 Nylon Carry Case	KLH-187 Nylon Carry Case
								
TK-2400V4P/3400U4P	•	•	•	•	•	•	-	•
TK-2400V16P/3400U16P (2&5 Watt)	•	•	•	•	•	•	-	•
TK-2402V16P/3402U16P	•	•	•	•	•	•	-	•
TK-3230DX	-	•	•	•	•	•	•	-
PKT-23	-	-	-	-	-	-	-	-
NX-240V16P/NX-340U16P	•	•	•	•	•	•	-	•
NX-P500 UHF Radio	-	-	-	-	-	-	-	-
TK-3360ISU16P/2360ISV16P	-	•	•	•	-	-	-	-
Radio Model	KHS-26 Earbud earpiece w/ in-line PTT & mic	KHS-27A D-Ring Ear Hanger w/ in-line PTT & Mic	KHS-31C C-Ring Swivel Ear Hanger w/ in-line PTT & Mic	*KMB-27 Six unit Charging Base	*KMB-28 Six unit Charging Base	KMC - 55 IP-67 Speaker Microphone	EMC - 13 Earbud earpiece	EMC - 14 D-Ring Ear Hanger
								
TK-2400V4P/3400U4P	•	•	•	-	•	-	-	-
TK-2400V16P/3400U16P (2&5 Watt)	•	•	•	-	•	-	-	-
TK-2402V16P/3402U16P	•	•	•	-	•	-	-	-
TK-3230DX	•	•	•	•	-	-	-	-
PKT-23	-	-	-	-	-	-	-	-
NX-240V16P/NX-340U16P	•	•	•	-	•	-	-	-
NX-P500 UHF Radio	-	-	-	-	-	•	•	•
TK-3360ISU16P/2360ISV16P	-	-	-	-	-	-	-	-

\*Additional accessories are available \*Charging cups not included with KMB-27 or KMB-28 Charging Stations





## ProTalk® Repeater

**NXR-710MPSD VHF Repeater**

**NXR-810MPSD UHF Repeater**



- Extremely powerful – 40/50 watts of output power
  - Improves signal coverage in and around large structures, multiple walls, steel shelves, longer distances, etc
  - Can operate with analog radios, or with NXDN digital radios
  - Requires additional accessories, setup and a valid FCC license
- Contact us to find out more and request a quote!*



## Ritron NXDN Repeater

**Liberty UHF NXDN Repeater**

- Powerful -10 watts of NXDN digital output power
  - Greatly increases radio coverage
  - Expands digital radio network
  - Helps digital radio users overcome large buildings, multiple obstructions, longer distances, etc
  - Operates exclusively with NXDN digital two-way radios
  - Requires additional accessories, setup and a valid FCC license
- Contact us to find out more and request a quote!*



## QUICK ASSIST

### Push Button Voice Alerting Transmitter

- Enhances the Shopping Experience
- Virtually Eliminates In-Store PA System
- Sends Pre-Recorded Message to Radios
- Large, Easy to See Signage and Button
- 7,000 Transmissions on 6 AA Li-ion Batteries
- Attractive Design
- Easy to Install or Relocate
- Low Battery Alert

**Possible Uses:** *Locked Cabinet Areas* - Customer Assistance Notification - Panic Button Delivery/Receiving Doors - Retail Security Alerts - Eyewash Stations



## CALL BOX

### Push Button Two-Way Transceiver

- Fixed Location 2-Way Radio
- Conserves Power - Always Off Until Needed
- Works With Most Radio Models
- Suitable for Indoor or Outdoor Use
- High Audio Output
- Instant Delivery Driver Notification
- Built-In Remote Control Relay
  - Open Doors With Your Radios
- Easy to Install - Battery or Hard-Wired Options
- 7,000 Transmissions on 3 D-Cell Batteries

**Possible Uses:** *Delivery/Receiving Door* - Employee Entrance - Loading Dock - Eyewash Station Nurse Station - Truck Stop - Fuel Pumps - Gate Entry



## XTRA TOUGH CALL BOX

### Two-Way Transceiver

- Fixed Location 2-Way Radio
- Conserves Power - Always Off Until Needed
- Works With Most Radio Models
- Suitable for Indoor or Outdoor Use
- Extremely Durable and Tamper Resistant
- Built-In Remote Control Relay
  - Open Doors With Your Radios
- Designed for Demanding Environments
- High Audio Output
- Easy to Install - Battery or Hard-Wired Options

**Possible Uses:** *Construction Sites* - Campus Emergency Stations - Golf Courses Demanding Industrial Facilities - Campgrounds - Parking Garage - Gate Entry



## LOUDMOUTH

### Wireless PA System

- 2 Operating Modes
- Instant Notification From Radios
- Record and Play Feature With Repeat X 4
- 2 Speaker Option for Separated Rooms
- 20' Speaker Wire
- Pre-Announce Tone
- Powered by 110 VAC Household Wall Outlet
- Strobe Light Visual Alert Option

**Possible Uses:** *Large Area Notification* - Replace Wired PA System - Construction Sites Noisy Industrial Facilities - Parks and Outdoor Recreation Areas





## TELESWITCH

### Wireless Switch Control

- Easy to Install - No Trenching - No Wires
- Wireless Switch Control From Your 2-Way Radio
- Works With Your DTMF Radios, Quicktalk, Call Box & JBS

**Possible Uses: Remote Control of Pump** - Valve - Door or Gate.



## QUICKTALK

### Wireless Voice Alert

- Monitors Up To 4 Switches: Door Alarm, Call Button, Panic Alarm, Temperature Alert and More
- Can Transmit a Different Alert Per Switch
- Keyfob Options Available
- Can Transmit Alerts on 1-4 Channels
- 7,000 Transmissions on 6 AA Li-ion Batteries
- Programmable Time Delay for Notifications

**Possible Uses: Cold Storage Facility Temperature Monitoring** - Receiving Door Alarm  
Industrial Machine Power Failure Alert - Customer Convenience/Call Assist  
Medicine/Controlled Supply Room Alarm - Propped Door Notification



## DOORCOM

### Wireless Intercom

- Fixed Location 2-Way Radio Mounts Indoors
- Weather Proof Speaker Microphone Mounts Anywhere
- Powered by 110 VAC Household Wall Outlet
- Improves Security
- 2 Operating Modes
- Unique Call Tone
- 20' Cable

**Possible Uses: Delivery/Receiving Doors** - Front Door Visitor Security - Loading Dock  
Employee Entrances - Hospital Medicine Rooms - Controlled Area Access



## JBS BASE STATION

### Fixed Location 2-Way Radio


**Always Ready - Always On - Always There**

- Built in Microphone, Speaker and Push To Talk Button
- Powered by 110 VAC Household Wall Outlet
- Desktop or Wall Mount
- Easy to Install or Relocate

**Possible Uses: Stationary Office Radio** - Customer Service Counter - Warehouse  
Nurse Station - School Administrator's Office - Foreman's Office - HR Office



**CONTACT US TODAY**  
**TO FIND OUT HOW WE CAN HELP YOU**  
**OPTIMIZE YOUR COMMUNICATIONS.**



***WS Communications***  
400 North Bluff Rd. | Collinsville, IL 62234  
(888) 731-8731 | [www.wscommunications.com](http://www.wscommunications.com)